CEMENT COLOR, LIGHT BUFF MSDS

MATERIAL SAFETY DATA SHEET for CEMENT COLOR, LIGHT BUFF				
Section 1 – Manufacturer Information				
Lambert Corporation 20 North Coburn Avenue Orlando, FL 32805	Telephone No: (407) 841-2940 Emergency No: (800) 424-9300 - Chemtrec			
Section 2 – Hazardous Ingredients				
Hazardous Ingredients:	OSHA PEL:	ACGIH TLV:	Other Limits:	Contents
IRON OXIDE CAS #51274-00-1	NONE EST.	NONE EST.	SEE NOTE*	(%)
 *NOTE: There is and 8 hour TWA OSHA-PEL of 10 mg/g³ and ACGIH-TLV of 5 mg/m³ for iron oxide fume. (A fume can be defined as an aerosol of solid particles produced by condensation of vaporized materials such as iron metal. In normally accepted usage, iron oxide pigments would not be present in the form of a fume.) GENERAL INFORMATION: To the best of our knowledge the information contained herein is correct. Lambert Corporation of Florida, Inc. assumes no responsibility for accuracy or completeness. User is responsible for suitability. FOR INDUSTRIAL USE ONLY. 				
HMIS Rating: Health - 0 Flammability - 0 Reactivity - 0 Personal Protection - F				
Section 3 – Physical/Chemical Characteristics				
Boiling Point: N/A Vapor Pressure (mm Hg.): N/A Vapor Density (AIR = 1): N/A Solubility in Water: INSOLUBLE Appearance and Odor: YELLOWISH BUFF SOLID PO	Specific Gravity (H2) = 1): AT 20°C 4.0-4.2 g/ml Melting Point: GREATER THAN 1000°C Evaporation Rate (Butyl Acetate = 1): N/A			
Section 4 – Fire and Explosion Hazard Data				
Flash Point (Method Used): N/A Extinguishing Media: MATERIAL IS NOT COMBUSTIBLE. USE EXTINGUISHING AGENTS THAT ARE SUITABLE TO SURROUNDING FIRE.	Flammable Limits In air % by volume: N/A		LEL N/A	UEL N/A
Special Fire Fighting Procedures: FIREFIGHTERS SHOULD WEAR SCBA. UNDER FIRE CONDITIONS IRRITATING AND/OR TOXIC AEROSOLS OR GASES MAY BE PRESENT. Unusual Fire and Explosion Hazards: NONE				

20 N. Coburn Ave. • Orlando, FL 32805 • (407) 841-2940 • fax (407) 839-1890 • (800) 432-4746

LAMBERT CORPORATION

Section 5 – Reactivity Data

Stability: _X_Stable ___Unstable

Conditions to Avoid: NONE KNOWN Incompatibility (Materials to Avoid): NONE KNOWN Hazardous Decomposition of Byproducts: NONE KNOWN Hazardous Polymerization: ____May Occur _X_Will Not Occur Conditions to Avoid: NONE KNOWN

Section 6 – Health Hazard Data

Routes of Entry: Eyes: IRRITANT Inhalation: MILD IRRITANT Skin: MAY DRY SKIN Ingestion: NOT LIKELY

Health Hazards (Acute and Chronic): ACUTE: EXCESSIVE EXPOSURE TO AIRBORNE DUST MAY REDUCE VISIBILITY AND/OR CAUSE UNPLEASANT DEPOSITS IN THE EYES, EARS & NOSE. INJURY TO THE SKIN OR MUCOUS MEMBRANES CAN OCCUR BY DIRECT MECHANICAL ACTION OR BY RIGOROUS SKIN CLEANING NECESSARY FOR REMOVAL OF DUST

Carcinogenicity: NOT LISTED NTP: NOT LISTED IARC Monographs: NOT LISTED OSHA Regulated: NO

IARC & NTP BOTH CONTAIN LISTINGS FOR UNDERGROUND HEMATITE MINING. THESE LISTINGS ARE FOR THE OCCUPATIONAL EXPOSURES ASSOCIATED WITH THE MINING PROCESS WHICH INCLUDES RADON, A KNOWN LUNG CARCINOGEN.

Signs and Symptoms of Exposure: EXCESSIVE EXPOSURE MAY BE IRRITATING TO THE EYES, NOSE AND SKIN BUT BASED ON CURRENT INFORMATION AVAILABLE, THIS PRODUCT IS NOT CONSIDERED A CARCINOGEN.

Medical Conditions Generally Aggravated by Exposure: EXTREMELY SENSITIVE SKIN OR BREATHING PROBLEMS

Emergency First Aid Procedures: **EYES:** FLUSH THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL HELP IF IRRITATION PERSISTS. **SKIN:** WASH FROM SKIN WITH MILD SOAP AND WATER. **INHALATION:** REMOVE TO FRESH AIR. GET MEDICAL HELP FOR ANY BREATHING DIFFICULTY. **INGESTION:** IF CONSCIOUS, GIVE LARGE AMOUNTS OF WATER AND GET MEDICAL ATTENTION IMMEDIATELY. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

Section 7 – Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled: VACUUM OR SCOOP MATERIAL INTO AN APPROPRIATELY MARKED CONTAINER FOR RECLAMATION OR DISPOSAL. AVOID EXCESSIVE GENERATION OF DUST. WATER SPRAY MAY BE HELPFUL IN KEEPING DUST LEVELS DOWN. WEAR APPROPRIATE RESPIRATORY PROTECTION.

Waste Disposal Method: NOT CLASSIFIED AS A HAZARDOUS WASTE. IF MATERIAL CANNOT BE RECYCLED INTO YOUR PROCESS, LANDFILL DISPOSAL IN ACCORDANCE WITH ALL FEDERAL, STATE, AND LOCAL REGULATIONS.

Precautions to be Taken in Handling and Storage: STORE DRY AT AMBIENT TEMPERATURES AWAY FROM FOOD AND BEVERAGES. AVOID BREATHING DUST. AVOID CONTACT WITH EYES & SKIN. WASH THOROUGHLY AFTER HANDLING.

Other Precautions: ALWAYS WASH HANDS & FACE BEFORE EATING, DRINKING OR USING ANY TOBACCO PRODUCTS.

Section 8 – Control Measures

Respiratory Protection (Type): IF RECOMMENDED EXPOSURE LIMIT IS EXCEEDED, A NIOSH/MSHA APPROVED DUST RESPIRATOR SHOULD BE USED. Ventilation: Local Exhaust: PROVIDE ADEQUATE EXHAUST TO MAINTAIN AIR LEVELS BELOW THE RECOMMENDED EXPOSURE LIMIT. Mechanical (General):

Special:

Other:

Protective Gloves: RUBBER OR PLASTIC GLOVES Eye Protection: SAFETY GLASSES OR DUST TIGHT GOGGLES Other Protective Clothing or Equipment: EYE BATH AND WASHING FACILITIES SHOULD BE AVAILABLE Work/Hygienic Practices: PRACTICE GOOD HOUSEKEEPING. PROTECT ALL FOOD, DRINK & CHEWING PRODUCTS FROM ANY DUST. USE GOOD PERSONAL HYGIENE.