Page 1

Date of preparation: 07/01/04 1503480

SECTION I

Manufacturer : W. R. MEADOWS, INC. - H M I S -

Address : 300 Industrial Drive | Health : 0 | : Hampshire, Illinois 60140 | Flammability : 0 |

|Reactivity : 0 | |Personal Protection : |

Telephone # : (847) 683-4500

Emergency # : 1-800-424-9300 Chemtrec

(Hazard Rating: 0=Least,1=Slight,2=Moderate,3=High,4=Extreme,*=Chronic)

Product Class : DIVISION 3; Catalog # 323

Mfg. code I.D. : 1503480

Trade Name : CERAMAR FLEXIBLE FOAM EXPANSION JOINT FILLER

SECTION II-A HAZARDOUS COMPONENTS

SARA VAPOR PRESSURE **LEL** % by CAS# Weight 313 (mm Hg @ 20 C) (@ 25 C) No. Component 1. None N/A N/A N/A N/A N/A

None of the components of this product are recognized as carcinogenic . N/A = Not Applicable

CERAMAR Expansion Joint Filler is defined by OSHA (29 CFR Part 1910) as an "Article". A manufactured item which is formed to a specific shape or design during manufacture which does not release or otherwise result in exposure to a hazardous chemical under normal conditions or use.

SECTION II-B OCCUPATIONAL EXPOSURE LIMITS

		OSHA				ACG	IH	
No.	PEL/TWA	PEL/CEILING	PEL/STEL	SKIN	TLV/TWA	TLV/CEILING	TLV/STEL	SKIN
1.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	= Not Applicable	Э						

SECTION III PHYSICAL DATA

Boiling Point	: N/A	% Volatile by volume	: N/A
Evaporation Rate	: N/A	% Volatile by weight	: N/A
Vapor Density	: N/A	Weight per gallon	: N/A
mili aval	. NI/A		

SECTION IV HEALTH INFORMATION

EYE CONTACT: This product may cause mechanical irritation of the eye. **SKIN CONTACT:** This product may cause mechanical irritation of the skin.

INHALATION: Under normal use, this product is not hazardous via inhalation.

INGESTION: This product has a low order of toxicity. If symptoms of gastrointestinal irritation develop, seek medical attention.

SIGNS AND SYMPTOMS: None known with normal product use.

 $\label{eq:AGGRAVATED MEDICAL CONDITIONS:} None known with normal product use.$

OTHER HEALTH EFFECTS: None recognized.

SECTION V EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Flush eyes with water to remove fibers.

SKIN CONTACT: Flush with water to remove fibers. Wash affected area with soap and water if available.

INHALATION: None normally required. **INGESTION:** None normally required.

SECTION VI FIRE AND EXPLOSION HAZARDS

FLAMMABILITY CLASSIFICATION - NFPA: None

- DOT: Not regulated

FLASH POINT: Greater than 640 degrees F.

EXTINGUISHING MEDIA: Use water fog, foam, dry chemical, or Carbon Dioxide. **SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS:** None recognized.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None recognized.

Date of preparation: 07/01/04

CERAMAR FLEXIBLE FOAM EXPANSION JOINT FILLER

Page 2 1503480

Date of preparation: 07/01/04

SECTION VII REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS AND MATERIALS TO AVOID: Avoid strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion may yield Carbon Dioxide and Carbon Monoxide.

SECTION VIII EMPLOYEE PROTECTION

RESPIRATORY PROTECTION: None required with normal product use. If abraded, use of a dust filter respirator is recommended to prevent inhalation of fibers.

PROTECTIVE CLOTHING: Cotton work gloves/safety glasses.

ADDITIONAL PROTECTIVE MEASURES: None required.

SECTION IX ENVIRONMENTAL PROTECTION

SPILL OR LEAK PROCEDURES: Not applicable; product is a solid.

WASTE DISPOSAL: In some areas, this product may be considered a non-hazardous special waste if disposed of in a permitted landfill. Consult Federal, State and local regulations for compliance.

SECTION X ADDITIONAL PRECAUTIONS

Prevent contact with fire. Prevent "Job-Site" damage.

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of the product described herein.

Date of preparation: 07/01/04 1503480